



## **The VTD Bugbot – Version 1 Summary**

**by Justin Shumaker**

**ARL-SR-174**

**March 2009**

## **NOTICES**

### **Disclaimers**

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

# **Army Research Laboratory**

Aberdeen Proving Ground, MD 21005-5066

---

**ARL-SR-174****March 2009**

---

## **The VTD Bugbot – Version 1 Summary**

**Justin Shumaker**  
**Vehicle Technology Directorate, ARL**

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
<p>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p><b>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</b></p>					
1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE		3. DATES COVERED (From - To)	
March 2009		Final		May 2008–October 2008	
4. TITLE AND SUBTITLE  The VTD Bugbot – Version 1 Summary				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)  Justin L. Shumaker				5d. PROJECT NUMBER	
				1L162618AH80	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRD-ARL-VT-UV Aberdeen Proving Ground, MD 21005-5066				8. PERFORMING ORGANIZATION REPORT NUMBER  ARL-SR-174	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT  Presented is an overview of the work accomplished toward the development of a fully autonomous mesoscale hexapod robotic system. A circuit board and mobility system were developed in-house during the summer of 2008 to serve as the first generation of this platform. Much of the attention for this project has been focused on designing the system to be lightweight, small, and computationally capable of autonomous behavior using state-of-the-art embedded electronics components.					
15. SUBJECT TERMS VTD Bugbot, microrobotic, embedded, MAST, hexapod					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			Justin Shumaker
Unclassified	Unclassified	Unclassified	UU	10	19b. TELEPHONE NUMBER (Include area code) 410-278-2834

---

## Contents

---

<b>1. Overview</b>	<b>1</b>
<b>Distribution List</b>	<b>3</b>

INTENTIONALLY LEFT BLANK.

---

## 1. Overview

---

The Vehicle Technology Directorate (VTD) Bugbot is an in-house mesoscale autonomous hexapod robot that was originally based on the HEXBUG,<sup>\*</sup> a robotic toy manufactured by Innovation First, Inc. This six-legged robotic bug crawls and avoids obstacles with touch sensors and can be controlled by its acoustic sensor using sudden loud noise. The objective of this project was to enhance the capabilities of the HEXBUG platform by making radical changes to the mechanical and electrical components, thus transforming the HEXBUG into the VTD Bugbot.

The stock HEXBUG platform comes with a single motor and gear train that provides forward movement and reverse movement in a counterclockwise path. The drivetrain was augmented with an additional motor and gear train by Raymond Von Wahlde (U.S. Army Research Laboratory, VTD) to provide independent control of each group of legs on either side of the Bugbot. The second motor and gears were obtained from a second HEXBUG. This enhancement allowed the Bugbot to turn both left and right, as well as move forward and backward. It was later realized that by decoupling the leg phases, which are normally 180° out of phase, the tripod locomotion phase constraint no longer existed. This resulted in erratic behavior from the mobility system. The HEXBUG chassis required a drivetrain holder that was designed with a computer numerically controlled milling machine.

The Bugbot utilized an entirely new circuit board to provide autonomy by a programmable 32-bit ARM7 microcontroller and a miniature complementary metal oxide semiconductor camera. The Bugbot also had a communications system consisting of a 1-mW Maxstream Zigbee module. The microcontroller provided the computational power necessary to process 128- × 96-pixel grayscale images for object recognition and optical flow algorithms. The communications module provided the Bugbot platform with the capability to communicate with a ground station or with other Bugbots. A ground station consisting of a GTK graphical user interface was developed to control the Bugbots and receive video. The camera, microphone, and communications modules provided the foundation for developing swarming behaviors on these platforms.

The Bugbots were constructed with the aid of several students during the summer of 2008. Test programs were developed and executed on each platform to test mobility, image capture, and communications. During a Micro Autonomous Science Technology meeting in August 2008, it was realized that if the electronics control system were miniaturized by a factor of 2, it would become applicable to a host of even smaller robotic systems, both ground and air. Work is currently being done to miniaturize this system with a target mass of under 5 g. Collaboration

---

<sup>\*</sup> HEXBUG is a trademark of Innovation First, Inc., Greenville, TX.

with Vijay Kumar (University of Pennsylvania) and Ron Fearing (University of California Berkeley) will provide the VTD Bugbot with a smaller mobility package and mature navigation algorithms necessary for a robust autonomous microrobotic system. Future versions will focus on reducing mass, improving mobility, and improving computational capability without increasing energy consumption.

NO. OF  
COPIES ORGANIZATION

1 DEFENSE TECHNICAL  
(PDF INFORMATION CTR  
only) DTIC OCA  
8725 JOHN J KINGMAN RD  
STE 0944  
FORT BELVOIR VA 22060-6218

1 DIRECTOR  
US ARMY RESEARCH LAB  
IMNE ALC HR  
2800 POWDER MILL RD  
ADELPHI MD 20783-1197

1 DIRECTOR  
US ARMY RESEARCH LAB  
AMSRD ARL CI OK TL  
2800 POWDER MILL RD  
ADELPHI MD 20783-1197

1 DIRECTOR  
US ARMY RESEARCH LAB  
AMSRD ARL CI OK PE  
2800 POWDER MILL RD  
ADELPHI MD 20783-1197

ABERDEEN PROVING GROUND

1 DIR USARL  
AMSRD ARL CI OK TP (BLDG 4600)

INTENTIONALLY LEFT BLANK.